

```
[root@NJ_YD_NGP_16_61 dubbogo-examples]# strace -p 32732 -f
Process 32732 attached with 13 threads - interrupt to quit
[pid 32742] futex(0xc8201c4508, FUTEX_WAIT, 0, NULL <unfinished ...>
[pid 32741] futex(0xc82051a108, FUTEX_WAIT, 0, NULL <unfinished ...>
[pid 32736] futex(0xc820152108, FUTEX_WAIT, 0, NULL <unfinished ...>
[pid 32735] futex(0xc820032908, FUTEX_WAIT, 0, NULL <unfinished ...>
[pid 932] restart_syscall(<... resuming interrupted call ...> <unfinished ...>
[pid 32743] futex(0xc82051a508, FUTEX_WAIT, 0, NULL <unfinished ...>
[pid 32740] futex(0xc820152908, FUTEX_WAIT, 0, NULL <unfinished ...>
[pid 32739] futex(0xc820500108, FUTEX_WAIT, 0, NULL <unfinished ...>
[pid 32737] epoll_wait(9, <unfinished ...>
[pid 32732] futex(0xb9d248, FUTEX_WAIT, 0, NULL <unfinished ...>
[pid 32738] futex(0xc8201c4108, FUTEX_WAIT, 0, NULL <unfinished ...>
[pid 32734] futex(0xbb9960, FUTEX_WAIT, 0, NULL <unfinished ...>
[pid 32733] restart_syscall(<... resuming interrupted call ...> <unfinished ...>
[pid 932] <... restart_syscall resumed> ) = -1 ETIMEDOUT (Connection timed out)
[pid 932] futex(0xb9c690, FUTEX_WAKE, 1) = 1
[pid 32733] <... restart_syscall resumed> ) = 0
[pid 932] futex(0xc820500108, FUTEX_WAKE, 1 <unfinished ...>
[pid 32733] select(0, NULL, NULL, NULL, {0, 20} <unfinished ...>
[pid 932] <... futex resumed> ) = 1
[pid 32739] <... futex resumed> ) = 0
[pid 32733] <... select resumed> ) = 0 (Timeout)
[pid 932] futex(0xc8201c4108, FUTEX_WAKE, 1) = 1
[pid 32739] select(0, NULL, NULL, NULL, {0, 100} <unfinished ...>
[pid 32733] select(0, NULL, NULL, NULL, {0, 20} <unfinished ...>
[pid 32738] <... futex resumed> ) = 0
[pid 932] futex(0xb9c2b8, FUTEX_WAIT, 0, {0, 478381445} <unfinished ...>
[pid 32739] <... select resumed> ) = 0 (Timeout)
[pid 32738] futex(0xc8201c4108, FUTEX_WAIT, 0, NULL <unfinished ...>
[pid 32733] <... select resumed> ) = 0 (Timeout)
[pid 32739] futex(0xc820500108, FUTEX_WAIT, 0, NULL <unfinished ...>
[pid 32733] futex(0xb9c690, FUTEX_WAIT, 0, {60, 0} <unfinished ...>
[pid 932] <... futex resumed> ) = -1 ETIMEDOUT (Connection timed out)
[pid 932] futex(0xb9c690, FUTEX_WAKE, 1) = 1
[pid 32733] <... futex resumed> ) = 0
[pid 932] futex(0xc820500108, FUTEX_WAKE, 1 <unfinished ...>
[pid 32733] sched_yield( <unfinished ...>
[pid 932] <... futex resumed> ) = 1
[pid 32733] <... sched_yield resumed> ) = 0
[pid 32739] <... futex resumed> ) = 0
[pid 932] futex(0xc8201c4108, FUTEX_WAKE, 1 <unfinished ...>
[pid 32739] select(0, NULL, NULL, NULL, {0, 100} <unfinished ...>
[pid 32733] futex(0xb9c5d0, FUTEX_WAKE, 1 <unfinished ...>
[pid 932] <... futex resumed> ) = 1
[pid 932] futex(0xb9c2b8, FUTEX_WAIT, 0, {1, 332307936} <unfinished ...>
[pid 32733] <... futex resumed> ) = 0
[pid 32738] <... futex resumed> ) = 0
[pid 32738] write(8, "\0\0\0\10\377\377\377\376\0\0\0\v", 12 <unfinished ...>
[pid 32733] select(0, NULL, NULL, NULL, {0, 20} <unfinished ...>
```

```
[pid 32739] <... select resumed> ) = 0 (Timeout)
[pid 32739] futex(0xc820500108, FUTEX_WAIT, 0, NULL <unfinished ...>
[pid 32738] <... write resumed> ) = 12
[pid 32733] <... select resumed> ) = 0 (Timeout)
[pid 32733] select(0, NULL, NULL, NULL, {0, 20} <unfinished ...>
[pid 32738] futex(0xc8201c4108, FUTEX_WAIT, 0, NULL <unfinished ...>
[pid 32737] <... epoll_wait resumed> {{EPOLLIN|EPOLLOUT, {u32=1023307776,
u64=140691267022848}}}, 128, 4294967295) = 1
[pid 32733] <... select resumed> ) = 0 (Timeout)
[pid 32737] read(8, "\0\0\0\20", 4) = 4
[pid 32733] select(0, NULL, NULL, NULL, {0, 20} <unfinished ...>
[pid 32737] read(8, "\377\377\377\376\0\0\0\0\0\0\0\0\341\0\0\0", 16) = 16
[pid 32737] read(8, <unfinished ...>
[pid 32733] <... select resumed> ) = 0 (Timeout)
[pid 32737] <... read resumed> 0xc820200000, 4) = -1 EAGAIN (Resource temporarily unavailable)
[pid 32737] epoll_wait(9, {}, 128, 0) = 0
[pid 32737] epoll_wait(9, <unfinished ...>
[pid 32733] futex(0xb9c690, FUTEX_WAIT, 0, {60, 0} <unfinished ...>
[pid 932] <... futex resumed> ) = -1 ETIMEDOUT (Connection timed out)
[pid 932] futex(0xb9c690, FUTEX_WAKE, 1) = 1
[pid 32733] <... futex resumed> ) = 0
[pid 32733] sched_yield( <unfinished ...>
[pid 932] futex(0xc8201c4108, FUTEX_WAKE, 1 <unfinished ...>
[pid 32733] <... sched_yield resumed> ) = 0
[pid 932] <... futex resumed> ) = 1
[pid 932] futex(0xc820500108, FUTEX_WAKE, 1 <unfinished ...>
[pid 32738] <... futex resumed> ) = 0
[pid 32733] futex(0xb9c5d0, FUTEX_WAKE, 1 <unfinished ...>
[pid 932] <... futex resumed> ) = 1
[pid 32739] <... futex resumed> ) = 0
[pid 32738] select(0, NULL, NULL, NULL, {0, 100} <unfinished ...>
[pid 32733] <... futex resumed> ) = 0
[pid 932] futex(0xb9c2b8, FUTEX_WAIT, 0, {1, 187730372} <unfinished ...>
[pid 32739] write(8, "\0\0\0\10\377\377\377\376\0\0\0\v", 12 <unfinished ...>
[pid 32733] select(0, NULL, NULL, NULL, {0, 20} <unfinished ...>
[pid 32739] <... write resumed> ) = 12
[pid 32738] <... select resumed> ) = 0 (Timeout)
[pid 32739] futex(0xc820500108, FUTEX_WAIT, 0, NULL <unfinished ...>
[pid 32733] <... select resumed> ) = 0 (Timeout)
[pid 32738] futex(0xc8201c4108, FUTEX_WAIT, 0, NULL <unfinished ...>
[pid 32733] select(0, NULL, NULL, NULL, {0, 20} <unfinished ...>
[pid 32737] <... epoll_wait resumed> {{EPOLLIN|EPOLLOUT, {u32=1023307776,
u64=140691267022848}}}, 128, 4294967295) = 1
[pid 32737] read(8, "\0\0\0\20", 4) = 4
[pid 32737] read(8, "\377\377\377\376\0\0\0\0\0\0\0\0\341\0\0\0", 16) = 16
[pid 32733] <... select resumed> ) = 0 (Timeout)
[pid 32733] select(0, NULL, NULL, NULL, {0, 20} <unfinished ...>
[pid 32737] read(8, 0xc820200000, 4) = -1 EAGAIN (Resource temporarily unavailable)
[pid 32737] epoll_wait(9, {}, 128, 0) = 0
[pid 32733] <... select resumed> ) = 0 (Timeout)
```

```
[pid 32737] epoll_wait(9, <unfinished ...>
[pid 32733] futex(0xb9c690, FUTEX_WAIT, 0, {60, 0} <unfinished ...>
[pid 32737] <... epoll_wait resumed> {{EPOLLIN, {u32=1023307584, u64=140691267022656}}}, 128,
4294967295) = 1
[pid 32737] futex(0xb9c690, FUTEX_WAKE, 1) = 1
[pid 32737] accept4(3, <unfinished ...>
[pid 32733] <... futex resumed> ) = 0
[pid 32737] <... accept4 resumed> {sa_family=AF_INET, sin_port=htons(26939),
sin_addr=inet_addr("10.136.16.61")}, [16], SOCK_CLOEXEC|SOCK_NONBLOCK) = 10
[pid 32733] select(0, NULL, NULL, NULL, {0, 20} <unfinished ...>
[pid 32737] epoll_ctl(9, EPOLL_CTL_ADD, 10, {EPOLLIN|EPOLLOUT|EPOLLET|0x2000,
{u32=1023307392, u64=140691267022464}}) = 0
[pid 32737] getsockname(10, <unfinished ...>
[pid 32733] <... select resumed> ) = 0 (Timeout)
[pid 32737] <... getsockname resumed> {sa_family=AF_INET, sin_port=htons(10000),
sin_addr=inet_addr("10.136.16.61")}, [16]) = 0
[pid 32733] select(0, NULL, NULL, NULL, {0, 20} <unfinished ...>
[pid 32737] setsockopt(10, SOL_TCP, TCP_NODELAY, [1], 4) = 0
[pid 32737] futex(0xc8201c4108, FUTEX_WAKE, 1 <unfinished ...>
[pid 32733] <... select resumed> ) = 0 (Timeout)
[pid 32737] <... futex resumed> ) = 1
[pid 32733] select(0, NULL, NULL, NULL, {0, 20} <unfinished ...>
[pid 32738] <... futex resumed> ) = 0
[pid 32737] accept4(3, <unfinished ...>
[pid 32733] <... select resumed> ) = 0 (Timeout)
[pid 32738] epoll_wait(9, <unfinished ...>
[pid 32737] <... accept4 resumed> 0xc820180ad0, [112], SOCK_CLOEXEC|SOCK_NONBLOCK) = -1
EAGAIN (Resource temporarily unavailable)
[pid 32733] select(0, NULL, NULL, NULL, {0, 20} <unfinished ...>
[pid 32738] <... epoll_wait resumed> {{EPOLLIN|EPOLLOUT, {u32=1023307392,
u64=140691267022464}}}, 128, 0) = 1
[pid 32738] epoll_wait(9, <unfinished ...>
[pid 32733] <... select resumed> ) = 0 (Timeout)
[pid 32737] read(10, <unfinished ...>
[pid 32733] select(0, NULL, NULL, NULL, {0, 20} <unfinished ...>
[pid 32737] <... read resumed> "POST /com.youni.HelloService HTTP/1.1", 4096) = 348
[pid 32733] <... select resumed> ) = 0 (Timeout)
[pid 32733] select(0, NULL, NULL, NULL, {0, 20} <unfinished ...>
[pid 32737] futex(0xb9c2b8, FUTEX_WAKE, 1 <unfinished ...>
[pid 32733] <... select resumed> ) = 0 (Timeout)
[pid 932] <... futex resumed> ) = 0
[pid 32737] <... futex resumed> ) = 1
[pid 32733] select(0, NULL, NULL, NULL, {0, 20} <unfinished ...>
[pid 932] futex(0xb9c2b8, FUTEX_WAIT, 0, {0, 349912544} <unfinished ...>
[pid 32733] <... select resumed> ) = 0 (Timeout)
[pid 32733] select(0, NULL, NULL, NULL, {0, 20} <unfinished ...>
[pid 32737] write(10, "HTTP/1.1 200 OK\r\n", 17 <unfinished ...>
[pid 32733] <... select resumed> ) = 0 (Timeout)
[pid 32737] <... write resumed> ) = 17
[pid 32733] select(0, NULL, NULL, NULL, {0, 20} <unfinished ...>
```

```
[pid 32737] write(10, "Content-Length: ", 16) = 16
[pid 32733] <... select resumed> ) = 0 (Timeout)
[pid 32737] write(10, "60\r\n", 4 <unfinished ...>
[pid 32733] select(0, NULL, NULL, NULL, {0, 20} <unfinished ...>
[pid 32737] <... write resumed> ) = 4
[pid 32737] write(10, "Accept", 6 <unfinished ...>
[pid 32733] <... select resumed> ) = 0 (Timeout)
[pid 32733] select(0, NULL, NULL, NULL, {0, 20} <unfinished ...>
[pid 32737] <... write resumed> ) = 6
[pid 32737] write(10, ": ", 2 <unfinished ...>
[pid 32733] <... select resumed> ) = 0 (Timeout)
[pid 32737] <... write resumed> ) = 2
[pid 32733] select(0, NULL, NULL, NULL, {0, 20} <unfinished ...>
[pid 32737] write(10, "application/json", 16) = 16
[pid 32737] write(10, "\r\n", 2 <unfinished ...>
[pid 32733] <... select resumed> ) = 0 (Timeout)
[pid 32737] <... write resumed> ) = 2
[pid 32733] select(0, NULL, NULL, NULL, {0, 20} <unfinished ...>
[pid 32737] write(10, "Content-Type", 12) = 12
[pid 32737] write(10, ": ", 2 <unfinished ...>
[pid 32733] <... select resumed> ) = 0 (Timeout)
[pid 32737] <... write resumed> ) = 2
[pid 32733] select(0, NULL, NULL, NULL, {0, 20} <unfinished ...>
[pid 32737] write(10, "application/json", 16) = 16
[pid 32737] write(10, "\r\n", 2 <unfinished ...>
[pid 32733] <... select resumed> ) = 0 (Timeout)
[pid 32737] <... write resumed> ) = 2
[pid 32733] select(0, NULL, NULL, NULL, {0, 20} <unfinished ...>
[pid 32737] write(10, "Timeout", 7) = 7
[pid 32733] <... select resumed> ) = 0 (Timeout)
[pid 32737] write(10, ": ", 2 <unfinished ...>
[pid 32733] select(0, NULL, NULL, NULL, {0, 20} <unfinished ...>
[pid 32737] <... write resumed> ) = 2
[pid 32737] write(10, "350000000", 9) = 9
[pid 32733] <... select resumed> ) = 0 (Timeout)
[pid 32737] write(10, "\r\n", 2 <unfinished ...>
[pid 32733] select(0, NULL, NULL, NULL, {0, 20} <unfinished ...>
[pid 32737] <... write resumed> ) = 2
[pid 32737] write(10, "User-Agent", 10) = 10
[pid 32733] <... select resumed> ) = 0 (Timeout)
[pid 32737] write(10, ": ", 2 <unfinished ...>
[pid 32733] select(0, NULL, NULL, NULL, {0, 20} <unfinished ...>
[pid 32737] <... write resumed> ) = 2
[pid 32737] write(10, "Go-http-client/1.1", 18 <unfinished ...>
[pid 32733] <... select resumed> ) = 0 (Timeout)
[pid 32733] select(0, NULL, NULL, NULL, {0, 20} <unfinished ...>
[pid 32737] <... write resumed> ) = 18
[pid 32737] write(10, "\r\n", 2) = 2
[pid 32733] <... select resumed> ) = 0 (Timeout)
[pid 32737] write(10, "X-Method", 8 <unfinished ...>
```

```
[pid 32733] select(0, NULL, NULL, NULL, {0, 20} <unfinished ...>
[pid 32737] <... write resumed> ) = 8
[pid 32737] write(10, ":", 2) = 2
[pid 32733] <... select resumed> ) = 0 (Timeout)
[pid 32737] write(10, "Echo", 4 <unfinished ...>
[pid 32733] select(0, NULL, NULL, NULL, {0, 20} <unfinished ...>
[pid 32737] <... write resumed> ) = 4
[pid 32737] write(10, "\r\n", 2) = 2
[pid 32733] <... select resumed> ) = 0 (Timeout)
[pid 32737] write(10, "X-Proxy-Id", 10 <unfinished ...>
[pid 32733] select(0, NULL, NULL, NULL, {0, 20} <unfinished ...>
[pid 32737] <... write resumed> ) = 10
[pid 32737] write(10, ":", 2) = 2
[pid 32733] <... select resumed> ) = 0 (Timeout)
[pid 32737] write(10, "dubbogo", 7 <unfinished ...>
[pid 32733] select(0, NULL, NULL, NULL, {0, 20} <unfinished ...>
[pid 32737] <... write resumed> ) = 7
[pid 32737] write(10, "\r\n", 2) = 2
[pid 32733] <... select resumed> ) = 0 (Timeout)
[pid 32737] write(10, "X-Services", 10 <unfinished ...>
[pid 32733] select(0, NULL, NULL, NULL, {0, 20} <unfinished ...>
[pid 32737] <... write resumed> ) = 10
[pid 32737] write(10, ":", 2) = 2
[pid 32733] <... select resumed> ) = 0 (Timeout)
[pid 32737] write(10, "com.youni.HelloService", 22 <unfinished ...>
[pid 32733] select(0, NULL, NULL, NULL, {0, 20} <unfinished ...>
[pid 32737] <... write resumed> ) = 22
[pid 32737] write(10, "\r\n", 2 <unfinished ...>
[pid 32733] <... select resumed> ) = 0 (Timeout)
[pid 32737] <... write resumed> ) = 2
[pid 32733] select(0, NULL, NULL, NULL, {0, 20} <unfinished ...>
[pid 32737] write(10, "\r\n", 2) = 2
[pid 32733] <... select resumed> ) = 0 (Timeout)
[pid 32737] write(10, "{\"jsonrpc\":\"2.0\",\"id\":\"1099124050\"...", 60 <unfinished ...>
[pid 32733] select(0, NULL, NULL, NULL, {0, 20} <unfinished ...>
[pid 32737] <... write resumed> ) = 60
[pid 32737] read(10, <unfinished ...>
[pid 32733] <... select resumed> ) = 0 (Timeout)
[pid 32737] <... read resumed> 0xc820536000, 4096) = -1 EAGAIN (Resource temporarily unavailable)
[pid 32733] select(0, NULL, NULL, NULL, {0, 20} <unfinished ...>
[pid 32737] futex(0xc820152508, FUTEX_WAIT, 0, NULL <unfinished ...>
[pid 32733] <... select resumed> ) = 0 (Timeout)
[pid 32733] futex(0xb9c690, FUTEX_WAIT, 0, {60, 0} <unfinished ...>
[pid 932] <... futex resumed> ) = -1 ETIMEDOUT (Connection timed out)
[pid 932] futex(0xb9c690, FUTEX_WAKE, 1) = 1
[pid 32733] <... futex resumed> ) = 0
[pid 932] futex(0xc820152508, FUTEX_WAKE, 1 <unfinished ...>
[pid 32733] select(0, NULL, NULL, NULL, {0, 20} <unfinished ...>
[pid 932] <... futex resumed> ) = 1
[pid 32737] <... futex resumed> ) = 0
```

```
[pid 932] futex(0xb9c2b8, FUTEX_WAIT, 0, {0, 554925100} <unfinished ...>
[pid 32733] <... select resumed> ) = 0 (Timeout)
[pid 32737] futex(0xc820152508, FUTEX_WAIT, 0, NULL <unfinished ...>
[pid 32733] futex(0xb9c690, FUTEX_WAIT, 0, {60, 0} <unfinished ...>
[pid 932] <... futex resumed> ) = -1 ETIMEDOUT (Connection timed out)
[pid 932] futex(0xb9c690, FUTEX_WAKE, 1) = 1
[pid 32733] <... futex resumed> ) = 0
[pid 932] futex(0xc820152508, FUTEX_WAKE, 1 <unfinished ...>
[pid 32733] madvise(0xc820000000, 2097152, 0xf /* MADV_??? */ <unfinished ...>
[pid 932] <... futex resumed> ) = 1
[pid 932] futex(0xb9c2b8, FUTEX_WAIT, 0, {0, 143634007} <unfinished ...>
[pid 32737] <... futex resumed> ) = 0
[pid 32733] <... madvise resumed> ) = -1 EINVAL (Invalid argument)
[pid 32737] futex(0xc820152508, FUTEX_WAIT, 0, NULL <unfinished ...>
[pid 32733] madvise(0xc8201dc000, 16384, MADV_DONTNEED) = 0
[pid 32733] madvise(0xc820000000, 2097152, 0xf /* MADV_??? */) = -1 EINVAL (Invalid argument)
[pid 32733] madvise(0xc8200f2000, 98304, MADV_DONTNEED) = 0
[pid 32733] select(0, NULL, NULL, NULL, {0, 20}) = 0 (Timeout)
[pid 32733] futex(0xb9c690, FUTEX_WAIT, 0, {60, 0} <unfinished ...>
[pid 932] <... futex resumed> ) = -1 ETIMEDOUT (Connection timed out)
[pid 932] futex(0xb9c690, FUTEX_WAKE, 1) = 1
[pid 932] futex(0xc820152508, FUTEX_WAKE, 1 <unfinished ...>
[pid 32733] <... futex resumed> ) = 0
[pid 932] <... futex resumed> ) = 1
[pid 932] futex(0xc820500108, FUTEX_WAKE, 1 <unfinished ...>
[pid 32737] <... futex resumed> ) = 0
[pid 32733] select(0, NULL, NULL, NULL, {0, 20} <unfinished ...>
[pid 932] <... futex resumed> ) = 1
[pid 32739] <... futex resumed> ) = 0
[pid 32737] select(0, NULL, NULL, NULL, {0, 100} <unfinished ...>
[pid 32733] <... select resumed> ) = 0 (Timeout)
[pid 932] futex(0xb9c2b8, FUTEX_WAIT, 0, {1, 332552551} <unfinished ...>
[pid 32739] write(8, "\0\0\0\10\377\377\377\376\0\0\0\v", 12 <unfinished ...>
[pid 32733] select(0, NULL, NULL, NULL, {0, 20} <unfinished ...>
[pid 32739] <... write resumed> ) = 12
[pid 32739] futex(0xc820500108, FUTEX_WAIT, 0, NULL <unfinished ...>
[pid 32737] <... select resumed> ) = 0 (Timeout)
[pid 32733] <... select resumed> ) = 0 (Timeout)
[pid 32733] select(0, NULL, NULL, NULL, {0, 20} <unfinished ...>
[pid 32737] futex(0xc820152508, FUTEX_WAIT, 0, NULL <unfinished ...>
[pid 32738] <... epoll_wait resumed> {{EPOLLIN|EPOLLOUT, {u32=1023307776,
u64=140691267022848}}, 128, 4294967295) = 1
[pid 32733] <... select resumed> ) = 0 (Timeout)
[pid 32738] read(8, <unfinished ...>
[pid 32733] select(0, NULL, NULL, NULL, {0, 20} <unfinished ...>
[pid 32738] <... read resumed> "\0\0\0\20", 4) = 4
[pid 32738] read(8, "\377\377\377\376\0\0\0\0\0\0\0\0\355\0\0\0\0", 16) = 16
[pid 32733] <... select resumed> ) = 0 (Timeout)
[pid 32738] read(8, <unfinished ...>
[pid 32733] select(0, NULL, NULL, NULL, {0, 20} <unfinished ...>
```

```
[pid 32738] <... read resumed> 0xc820200000, 4) = -1 EAGAIN (Resource temporarily unavailable)
[pid 32738] epoll_wait(9, <unfinished ...>
[pid 32733] <... select resumed> ) = 0 (Timeout)
[pid 32738] <... epoll_wait resumed> {}, 128, 0) = 0
[pid 32733] select(0, NULL, NULL, NULL, {0, 20} <unfinished ...>
[pid 32738] epoll_wait(9, <unfinished ...>
[pid 32733] <... select resumed> ) = 0 (Timeout)
[pid 32733] futex(0xb9c690, FUTEX_WAIT, 0, {60, 0} <unfinished ...>
[pid 32738] <... epoll_wait resumed> {{EPOLLIN|EPOLLOUT|0x2000, {u32=1023307392,
u64=140691267022464}}}, 128, 4294967295) = 1
[pid 32738] futex(0xb9c690, FUTEX_WAKE, 1) = 1
[pid 32738] read(10, <unfinished ...>
[pid 32733] <... futex resumed> ) = 0
[pid 32738] <... read resumed> "", 4096) = 0
[pid 32733] select(0, NULL, NULL, NULL, {0, 20} <unfinished ...>
[pid 32738] epoll_ctl(9, EPOLL_CTL_DEL, 10, {0, {u32=0, u64=0}}) = 0
[pid 32738] close(10 <unfinished ...>
[pid 32733] <... select resumed> ) = 0 (Timeout)
[pid 32738] <... close resumed> ) = 0
[pid 32733] select(0, NULL, NULL, NULL, {0, 20} <unfinished ...>
[pid 32738] epoll_wait(9, {}, 128, 0) = 0
[pid 32738] epoll_wait(9, <unfinished ...>
[pid 32733] <... select resumed> ) = 0 (Timeout)
[pid 32733] futex(0xb9c690, FUTEX_WAIT, 0, {60, 0} <unfinished ...>
[pid 932] <... futex resumed> ) = -1 ETIMEDOUT (Connection timed out)
[pid 932] futex(0xb9c690, FUTEX_WAKE, 1) = 1
[pid 32733] <... futex resumed> ) = 0
[pid 932] futex(0xc820152508, FUTEX_WAKE, 1 <unfinished ...>
[pid 32733] select(0, NULL, NULL, NULL, {0, 20} <unfinished ...>
[pid 932] <... futex resumed> ) = 1
[pid 932] futex(0xc820500108, FUTEX_WAKE, 1 <unfinished ...>
[pid 32737] <... futex resumed> ) = 0
[pid 932] <... futex resumed> ) = 1
[pid 32739] <... futex resumed> ) = 0
[pid 32737] select(0, NULL, NULL, NULL, {0, 100} <unfinished ...>
[pid 32733] <... select resumed> ) = 0 (Timeout)
[pid 32739] write(8, "\0\0\0\10\377\377\377\376\0\0\0\v", 12 <unfinished ...>
[pid 932] futex(0xb9c2b8, FUTEX_WAIT, 0, {1, 332156620} <unfinished ...>
[pid 32733] select(0, NULL, NULL, NULL, {0, 20} <unfinished ...>
[pid 32737] <... select resumed> ) = 0 (Timeout)
[pid 32739] <... write resumed> ) = 12
[pid 32737] futex(0xc820152508, FUTEX_WAIT, 0, NULL <unfinished ...>
[pid 32739] futex(0xc820500108, FUTEX_WAIT, 0, NULL <unfinished ...>
[pid 32733] <... select resumed> ) = 0 (Timeout)
[pid 32738] <... epoll_wait resumed> {{EPOLLIN|EPOLLOUT, {u32=1023307776,
u64=140691267022848}}}, 128, 4294967295) = 1
[pid 32733] futex(0xb9c690, FUTEX_WAIT, 0, {60, 0} <unfinished ...>
[pid 32738] futex(0xb9c690, FUTEX_WAKE, 1) = 0
[pid 32733] <... futex resumed> ) = -1 EAGAIN (Resource temporarily unavailable)
[pid 32733] sched_yield( <unfinished ...>
```

```
[pid 32738] read(8, <unfinished ...>
[pid 32733] <... sched_yield resumed> ) = 0
[pid 32738] <... read resumed> "\0\0\0\20", 4) = 4
[pid 32733] futex(0xb9c5d0, FUTEX_WAKE, 1 <unfinished ...>
[pid 32738] read(8, <unfinished ...>
[pid 32733] <... futex resumed> ) = 0
[pid 32738] <... read resumed> "\377\377\377\376\0\0\0\0\0\0\0\0\355\0\0\0\0", 16) = 16
[pid 32733] select(0, NULL, NULL, NULL, {0, 20} <unfinished ...>
[pid 32738] read(8, <unfinished ...>
[pid 32733] <... select resumed> ) = 0 (Timeout)
[pid 32738] <... read resumed> 0xc820200000, 4) = -1 EAGAIN (Resource temporarily unavailable)
[pid 32733] select(0, NULL, NULL, NULL, {0, 20} <unfinished ...>
[pid 32738] epoll_wait(9, {}, 128, 0) = 0
[pid 32738] epoll_wait(9, <unfinished ...>
[pid 32733] <... select resumed> ) = 0 (Timeout)
[pid 32733] futex(0xb9c690, FUTEX_WAIT, 0, {60, 0} <unfinished ...>
[pid 932] <... futex resumed> ) = -1 ETIMEDOUT (Connection timed out)
[pid 932] futex(0xb9c690, FUTEX_WAKE, 1) = 1
[pid 32733] <... futex resumed> ) = 0
[pid 32733] sched_yield( <unfinished ...>
[pid 932] futex(0xc820500108, FUTEX_WAKE, 1 <unfinished ...>
[pid 32733] <... sched_yield resumed> ) = 0
[pid 932] <... futex resumed> ) = 1
[pid 32739] <... futex resumed> ) = 0
[pid 32733] futex(0xb9c5d0, FUTEX_WAKE, 1 <unfinished ...>
[pid 932] futex(0xc820152508, FUTEX_WAKE, 1 <unfinished ...>
[pid 32739] select(0, NULL, NULL, NULL, {0, 100} <unfinished ...>
[pid 32733] <... futex resumed> ) = 0
[pid 932] <... futex resumed> ) = 1
[pid 32733] select(0, NULL, NULL, NULL, {0, 20} <unfinished ...>
[pid 32737] <... futex resumed> ) = 0
[pid 932] futex(0xb9c2b8, FUTEX_WAIT, 0, {0, 188542647} <unfinished ...>
[pid 32737] write(8, "\0\0\0\10\377\377\377\376\0\0\0\v", 12 <unfinished ...>
[pid 32739] <... select resumed> ) = 0 (Timeout)
[pid 32733] <... select resumed> ) = 0 (Timeout)
[pid 32737] <... write resumed> ) = 12
[pid 32739] futex(0xc820500108, FUTEX_WAIT, 0, NULL <unfinished ...>
[pid 32737] futex(0xc820152508, FUTEX_WAIT, 0, NULL <unfinished ...>
[pid 32733] select(0, NULL, NULL, NULL, {0, 20}) = 0 (Timeout)
[pid 32733] futex(0xb9c690, FUTEX_WAIT, 0, {60, 0} <unfinished ...>
[pid 32738] <... epoll_wait resumed> {{EPOLLIN|EPOLLOUT, {u32=1023307776,
u64=140691267022848}}, 128, 4294967295) = 1
[pid 32738] futex(0xb9c690, FUTEX_WAKE, 1) = 1
[pid 32733] <... futex resumed> ) = 0
[pid 32738] read(8, <unfinished ...>
[pid 32733] sched_yield() = 0
[pid 32738] <... read resumed> "\0\0\0\20", 4) = 4
[pid 32733] futex(0xb9c5d0, FUTEX_WAKE, 1 <unfinished ...>
[pid 32738] read(8, <unfinished ...>
[pid 32733] <... futex resumed> ) = 0
```



